heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, together form an optionally substituted fused phenyl ring; or wherein two R^c substituents bound to the same atom my combine tp form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

Pr. N R°

35. Compound of Claim 21 wherein R^d is $R^{b'}$; wherein R^b is selected from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C_{6-10} aryl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ - C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C_{6-10} aryl; wherein two R^c groups bound to the same atom may combine to form a C_{3-6} spiro ring;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, C_{1-6} -alkyl, C_{1-6} -haloalkyl, phenyl- C_{1-6} -alkyl, 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, R^aC (=O)-, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl and C_{3-6} -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents bound to the same atome may combine to form an optionally substituted C₃₋₆ spiro ring;

and pharmaceutically acceptable salts thereof.

5

10

15

20

25

30

36. Compound of Claim 33 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl,

methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R° is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R° substituents, two R^b substituents or R° together with R^b together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

37. Compound of Claim 21 wherein R^d is

5

10

15

20

25

30

wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C_{6-10} aryl, optionally substituted C_{6-10} heteroaryl, optionally substituted C_{3-6} cycloalkyl, and $R^aR^{5a}N$ - C_{1-3} alkyl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ - C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, $-C_{1-3}$ alkyl- NR^a -C(=O)- OR^5 , optionally substituted C_{6-10} aryl; and optionally substituted heteroraryl;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, C_{1-6} -alkyl, C_{1-6} -haloalkyl, phenyl- C_{1-6} -alkyl, 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, $R^aC(=0)$ -, optionally substituted

phenyl, optionally substituted 5-6-membered heterocyclyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl and C_{3-6} -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring; and pharmaceutically acceptable salts thereof.

38. Compound of Claim 35 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, 3-hydroxypropyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl,2-oxopropyl, 2-azidopropyl,, 2-fluoropropyl,, 2hydroxypropyl,, 2-hydroxy-3-aminoproply,.2-methoxypropyl,, 2-aminoproply,, 1(1hydroxycycloproplyl)methyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R° is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted heteroaryl, and optionally substituted benzyl; wherein Ra is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

25

30

5

10

15

20

39. Compound of Claim 21 wherein R^d is R^c ; wherein R^b is selected from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C_{6-10} aryl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, C₁₋₃ alkyl, C₁₋₃ alkyl, Optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted

 C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C_{6-10} aryl;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, C_{1-6} -alkyl, C_{1-6} -haloalkyl, phenyl- C_{1-6} -alkyl, 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, $R^aC(=O)$ -, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl and C_{3-6} -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring; and pharmaceutically acceptable salts thereof.

15

20

25

30

5

10

40. Compound of Claim 37 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

41. Compound of Claim 21 wherein R^d is

wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C_{6-10} ary, optionally substituted C_{3-6} cycloalkyl, optionally substituted C_{3-6} cycloalkyl- C_{1-3} alkyl, and $R^aR^{5a}N-C_{1-3}$ alkyl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ - C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, $-C_{1-3}$ alkyl- NR^a -C(=O)- OR^5 , optionally substituted C_{6-10} aryl; and optionally substituted heteroraryl, nitrile, $C(=O)OR^5$, $C(=O)NR^{5a}R^a$, $C(=O)R^5$;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, C_{1-6} -alkyl, C_{1-6} -haloalkyl, phenyl- C_{1-6} -alkyl, 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, R^aC (=O)-, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl and C_{3-6} -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring; and pharmaceutically acceptable salts thereof.

25

30

5

10

15

20

42. Compound of Claim 39 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl,

methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituteds, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

10

15

20

25

30

5

43. Compound of Claim 15 wherein R^d is

wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C_{6-10} ary, and $R^aR^{5a}N-C_{1-3}$ alkyl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ - C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, C_{1-3} alkyl, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, $-C_{1-3}$ alkyl- NR^a -C(=O)- OR^5 , optionally substituted C_{6-10} aryl; and optionally substituted heteroraryl;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, $C_{1\text{-}6}$ -alkyl, $C_{1\text{-}6}$ -haloalkyl, phenyl- $C_{1\text{-}6}$ -alkyl, 5-6 membered heterocyclyl- $C_{1\text{-}6}$ -alkyl, $C_{3\text{-}6}$ -cycloalkyl- $C_{1\text{-}6}$ -alkyl, $R^aC(=O)$ -, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, $C_{2\text{-}6}$ -alkenyl, $C_{2\text{-}6}$ -alkynyl and $C_{3\text{-}6}$ -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring;

and pharmaceutically acceptable salts thereof.

5

10

- 44. Compound of Claim 41 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, ethylaminomethyl, optionally substituted heterorayrl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted heteroaryl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6 membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.
- 45. Compound of Claim 21 wherein T is O; and pharmaceutically acceptable salts thereof
 - 46. Compound of Claim 21 wherein n is 0 or 1; and pharmaceutically acceptable salts thereof
- 25 47. Compound of Claim 21 wherein R³ and R⁴ are both H; and pharmaceutically acceptable salts thereof
 - 48. Compound of Claim 1 wherein R is

wherein R^{8a} is C_{1-3} alkyl or H ; and pharmaceutically acceptable salts thereof.

 R^{8a} is $C_{1\text{--}3}$ alkyl or H ; and pharmaceutically acceptable salts thereof.

50. Compound of Claim 1 wherein R is R⁸, and pharmaceutically acceptable salts thereof.

10

20

- 51. Compound of Claim 1 and pharmaceutically acceptable salts and solvates thereof selected from
- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((ethyl(methyl)amino)methyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide:;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((dimethylamino)methyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 5-(aminomethyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

tert-butyl (4-((3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)carbamoyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-5-yl)methylcarbamate;

- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-((tetrahydrofuran-2-yl)methyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

20

- 5-((ethyl(methyl)amino)methyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-benzyl-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-benzyl-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 (S)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-(1-phenylethyl)-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-(1-phenylethyl)-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-2-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-2-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(tetrahydro-2H-pyran-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(tetrahydro-2H-pyran-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-Methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-5-(5-methyl-3-isoxazolyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- 1-methyl-5-(5-methyl-3-isoxazolyl)-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-5-(5-methyl-3-isoxazolyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-N,1,5-trimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-(3-chlorophenyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-20 oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 2-(3-chlorophenyl)-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridine-2-yl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 2-(3-chlorophenyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- 2-(2-chlorophenyl)-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 2-(2-chlorophenyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 2-(2-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

- 2-(3-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(6-(6,7-dimethoxyquinolin-4-yloxy)pyridin-3-yl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 2-benzyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-1-(2-oxobutyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-(3-methyl-2-oxobutyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxybutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-((2R,3R)-3-hydroxybutan-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

1-((2R,3R)-3-hydroxybutan-2-yl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- (S)-1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 (R)-1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

20

- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-((3-methyl-2-oxooxazolidin-5-yl)methyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-(methylamino)propyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(3-chloro-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-morpholinopropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-(oxazolidin-5-ylmethyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxybutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(3-amino-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxy-2-methylpropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

(R)-1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- 1-(3-(dimethylamino)-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (R)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (R)-2-(3-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

20

- 15 (R)-2-(3-chlorophenyl)-1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-2-(4-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide
 - 1-(2-hydroxy-2-methylpropyl)-N-(5-(1-oxo-7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-Fluoro-4-(7-hydroxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxy-2-methylpropyl)-N-(5-(7-hydroxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(6-Ethyl-7-methoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(7-Methoxyquinolin-4-yloxy)phenyl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-(7-Methoxyquinolin-4-yloxy)pyridin-2-yl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-Dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-(7-Methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- (R)-1-(2-Hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-methyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 (R)-N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-2-methyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
 - (S)-N-(3-fluoro-4-(6-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-aminoethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
 - 1-(2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)ethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

15

- 1-(2-aminoethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-1-(phenylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide
- 1-benzyl-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-1-(2-(methyloxy)ethyl)-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-1-(2-(methyloxy)ethyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxyethyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-((2R)-2-fluoropropyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (S)-1-(2-(dimethylamino)propyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-(2-(1-pyrrolidinyl)ethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-((2S)-2-fluoropropyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-((2S)-2-fluoropropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-((2S)-2-(acetylamino)propyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 1-((2S)-2-aminopropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-((2S)-2-azidopropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-(2-hydroxyethyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

20

- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-1-((2R)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-1-((2S)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-(2-methylpropyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-1-(2-oxopropyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2,3-dihydroxy-2-methylpropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-((6,7-bis(methyloxy)-4-quinazolinyl)oxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - $\label{eq:N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-1-(2-methyl-2-propen-1-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;}$
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-1-((2S)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-methyl-3-oxo-1-(2-oxopropyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-1-(2,3-dihydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-methyl-1-(2-methyl-2-propen-1-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-methyl-3-oxo-2-phenyl-1-(2-propen-1-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

10

- N-(4-((6,7-bis(methyloxy)-1-oxido-4-quinolinyl)oxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-(2-propen-1-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-(phenylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 4-(6,7-Dimethoxyquinolin-4-yloxy)-3-fluoro-N-(5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-3-yl)benzamide;
 - 4-(6,7-Dimethoxyquinolin-4-yloxy)-N-((1,2-dimethyl-5-oxo-3-phenyl-2,5-dihydro-1H-pyrazol-4-yl)methyl)-3-fluorobenzamide;
 - 4-(6,7-Dimethoxyquinolin-4-yloxy)-N-(2,3-dimethyl-5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-4-yl)-3-fluorobenzamide
 - 4-(6,7-Dimethoxyquinolin-4-yloxy)-N-((2,3-dimethyl-5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-4-yl)methyl)-3-fluorobenzamide;
 - 1-Benzyl-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1,2-dihydropyrazolo[1,5-a]pyridine-3-carboxamide;
- 4-((5-(6,7-Dimethoxyquinolin-4-yloxy)pyridin-2-ylamino)methyl)-1,5-dimethyl-2-phenyl-1,2-dihydropyrazol-3-one;
 - N-(3-fluoro-4-(2-(3-methyl-1,2,4-oxadiazol-5-yl)thieno[3,2-b]pyridin-7-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((2-(1-methyl-1H-imidazol-5-yl)thieno[3,2-b]pyridin-7-yl)oxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-((2-(1-methyl-1H-imidazol-5-yl)thieno[3,2-b]pyridin-7-yl)oxy)phenyl)-1-((2R)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(7H-pyrrolo[2,3-d]pyrimidin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(3-fluoro-4-(1H-pyrrolo[2,3-b]pyridin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 Methyl(6-((4-(((1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)carbonyl)amino)phenyl)oxy)-1H-benzimidazol-2-yl)carbamate;
 - N-(4-(2-(azetidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-methylthieno[3,2-b]pyridine-2-carboxamide;

10

15

- N-(3-fluoro-4-(2-(1-methylpiperazine-4-carbonyl)thieno[3,2-b]pyridin-7-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(2-(dimethylamino)ethyl)-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;
- N-(4-(2-(3-(dimethylamino)pyrrolidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N,N-dimethylthieno[3,2-b]pyridine-2-carboxamide;
 - 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;
- N-(2-(dimethylamino)ethyl)-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-methylthieno[3,2-b]pyridine-2-carboxamide;
 - 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-(2-methoxyethyl)thieno[3,2-b]pyridine-2-carboxamide;
 - N-(4-(2-(azetidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-cyclopropyl-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide

- 7-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;
- N-(3-fluoro-4-(6-(pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(3-fluoro-4-(6-(pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(6-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyrimidin-4-yl)morpholine-4-carboxamide;
 - N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)morpholine-4-carboxamide;

10

- N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)piperidine-1-carboxamide;
- N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)-4-methylpiperazine-1-carboxamide;
- 15 (R)-N-(4-(6-(3-(dimethylamino)pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - (R)-N-(4-(6-aminopyrimidin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyridin-2-yl)piperidine-1-carboxamide;
 - (R)-N-(4-(2-(3-(dimethylamino)pyrrolidine-1-carboxamido)pyridin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyridin-2-yl)morpholine-4-carboxamide;
 - N-(4-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyridin-2-yl)piperidine-1-carboxamide;

5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)methyl)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(4-(hydroxy(7-methoxyquinolin-4-yl)methyl)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 1,5-dimethyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyrimidinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)sulfinyl)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide
 - 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)thio)phenyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
 - 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)thio)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide
 - 5-methyl-N-(3-((7-(methyloxy)-4-quinolinyl)oxy)propyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(trans-4-((7-(methyloxy)-4-quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 5-methyl-N-(cis-4-((7-(methyloxy)-4-quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(trans-4-((7-(methyloxy)-4-

10

20

- quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
- 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyrimidinyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - 1-(2-hydroxy-2-methylpropyl)-5-methyl-4-((7-((7-(methyloxy)-4-quinolinyl)oxy)-2,3-dihydro-4H-1,4-benzoxazin-4-yl)carbonyl)-2-phenyl-1,2-dihydro-3H-pyrazol-3-one;
 - 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-3-hydroxy-2-(1-oxoisoindolin-2-yl)propanamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-(1-oxoisoindolin-2-yl)acetamide;

N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-oxo-1,5-diphenyl-1,2-dihydropyridine-3-carboxamide;

- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6-oxo-1-(phenylmethyl)-1,1',2',3',6,6'-hexahydro-3,4'-bipyridine-5-carboxamide;
- 5 N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6-oxo-1-(phenylmethyl)-1,6-dihydro-3,3'-bipyridine-5-carboxamide;
 - N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6'-oxo-1'-(phenylmethyl)-1',6'-dihydro-2,3'-bipyridine-5'-carboxamide
 - N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-2-oxo-1-(phenylmethyl)-5-(2-thienyl)-1,2-dihydro-3-pyridinecarboxamide;

10

20

- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-2-oxo-1-(phenylmethyl)-5-(2-pyrazinyl)-1,2-dihydro-3-pyridinecarboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-methyl-2-oxo-1-(phenylmethyl)-1,2-dihydro-3-pyridinecarboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-bromo-1-(3-methylphenyl)-2-oxo-1,2-dihydro-3-pyridinecarboxamide;
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-(1-methyl-1H-pyrazol-4-yl)-2-oxo-1-phenyl-1,2-dihydro-3-pyridinecarboxamide;
 - N-(3-fluoro-4-((6-(methyloxy)-7-((3-(4-morpholinyl)propyl)oxy)-4-quinolinyl)oxy)phenyl)-2-oxo-5-phenyl-1-(phenylmethyl)-1,2-dihydro-3-pyridinecarboxamide;
 - 1,1-dimethylethyl 5-(((5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)amino)carbonyl)-6-oxo-1-(phenylmethyl)-1,3',6,6'-tetrahydro-3,4'-bipyridine-1'(2'H)-carboxylate;
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-2-oxo-1-(phenylmethyl)-5-(2-pyrimidinyl)-1,2-dihydro-3-pyridinecarboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-2-oxo-1-phenyl-5-(1H-pyrazol-4-yl)-1,2-dihydro-3-pyridinecarboxamide;
 - 1-benzyl-5-bromo-N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyridin-3-yl)-1,2-dihydropyridine-3-carboxamide;
 - N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyrazin-2-yl)-1,2-dihydropyridine-3-carboxamide;
 - .N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyridin-3-yl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyrazin-2-yl)-1,2-dihydropyridine-3-carboxamide;

- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(thiophen-2-yl)-1,2-dihydropyridine-3-carboxamide;
- 5 5-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;

10

20

- tert-butyl 4-(5-((5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)carbamoyl)-6-oxo-1-phenyl-1,6-dihydropyridin-3-yl)-5,6-dihydropyridine-1(2H)-carboxylate;
- 5-bromo-N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(2-methoxyethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-4-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-4-(phenylamino)-1,2-dihydropyridine-3-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(4-methylpiperazin-1-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(methylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(dimethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
 - 4-(2-methoxyethylamino)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-4-(2-methoxyethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide
 - N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-
 - 1-cyclopentyl-6-oxo-5-(2-oxo-1-pyrrolidinyl)-1,6-dihydro-3-pyridinecarboxamide
 - 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(2-methoxyethylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;
 - 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(dimethylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;
 - 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(methylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(phenylamino)-1,2-dihydropyridine-3-carboxamide;

- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(pyridin-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
- 5 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(4-methylpiperazin-1-yl)-2-oxo-1,2-dihydropyridine-3-carboxamide;
 - 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
 - 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(4-(trifluoromethyl)phenylamino)-1,2-dihydropyridine-3-carboxamide;

10

20

- 1-cyclopentyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-6-oxo-5-(2-oxopyrrolidin-1-yl)-1,6-dihydropyridine-3-carboxamide;
- N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- 6-((diethylamino)methyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - 6-((dimethylamino)methyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-6-methyl-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-6-methyl-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - 2-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-6-methyl-3-oxo-2,3-dihydropyridazine-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-6-methyl-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - (R)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-6-((3-(dimethylamino)pyrrolidin-1-yl)methyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
 - 3-benzyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-oxoimidazolidine-1-carboxamide;
 - N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((dimethylamino)methyl)-2-oxo-3-phenyl-tetrahydropyrimidine-1(2H)-carboxamide;

N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-4-phenylmorpholine-2-carboxamide;

N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-4-phenylmorpholine-2-carboxamide;

5

- 52. A pharmaceutical composition comprising a pharmaceutically-acceptable carrier and a compound as in any of Claims 1-49.
- 53. A method of treating cancer in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.
 - 54. The method of Claim 50 comprising a combination with a compound selected from antibiotic-type agents, alkylating agents, antimetabolite agents, hormonal agents, immunological agents, interferon-type agents and miscellaneous agents.

55. A method of reducing tumor size in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

- 5 56. A method of treating HGF mediated disorders in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.
 - 57. A method of reducing metastasis in a tumor in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

INTERNATIONAL SEARCH REPORT

International application No

PCT/US2006/016344 A. CLASSIFICATION OF SUBJECT MATTER INV. C07D401/14 C07D401/12 CO7D417/14 C07D413/14 CO7D405/14 C07D403/12 C07D409/14 C07D413/12 C07D487/04 C07D495/04 A61K31/495 A61P35/00 A61K31/435 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) CO7D A61K A61P Documentation searched other than minimum documentation to the extent that such documents are included. In the fields searched Electronic data base consulted during the International search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, CHEM ABS Data C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages Category* 1 - 57EP 1 411 046 A (KIRIN BEER KABUSHIKI Α KAISHA) 21 April 2004 (2004-04-21) the whole document WO 2005/005389 A (MERCK PATENT GMBH; 1 - 57Α BRUGE, DAVID; BUCHSTALLER, HANS-PETER; WIESNER, MAT) 20 January 2005 (2005-01-20) the whole document EP 1 415 987 A (EISAI CO., LTD) 1 - 57Α 6 May 2004 (2004-05-06) the whole document Further documents are listed in the continuation of Box C. See patent family annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art O' document referring to an oral disclosure, use, exhibition or document published prior to the International filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 24/07/2006 10 July 2006 Authorized officer Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

Fritz, M

Fax: (+31-70) 340-3016

INTERNATIONAL SEARCH REPORT

International application No PCT/US2006/016344

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category* Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
P,X WO 2006/004636 A (BRISTOL-MYERS COMPANY; BORZILLERI, ROBERT M; ZHONG; HUYNH) 12 January 2006 (Examples 242, 245-250, 253, 258 272-275, 277, 283, 284, 289, 29 294-298, 309, 313, 314, 319, 32	CHEN, 2006-01-12) 3, 267, 90, 292,	1–57
P,X WO 2005/117867 A (BRISTOL-MYERS COMPANY; BORZILLERI, ROBERT M; LYNDON) 15 December 2005 (2005-Examples 50-57, 62, 66-71, 101, 115, 119-125, 129, 130, 132, 13140, 146, 147	S SQUIBB CORNELIUS, -12-15) 111, 114,	1-57

International application No. PCT/US2006/016344

INTERNATIONAL SEARCH REPORT

Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)				
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:				
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:				
Although claims 53-57 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.				
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:				
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).				
Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)				
This International Searching Authority found multiple inventions in this international application, as follows:				
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.				
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.				
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:				
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:				
Remark on Protest The additional search fees were accompanied by the applicant's protest.				
No protest accompanied the payment of additional search fees.				

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No PCT/US2006/016344

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 1411046 A	21-04-2004	CN 1553899 A	03-01-2003
WO 2005005389 A	20-01-2005	AU 2004255566 A CA 2531485 A	
EP 1415987 A	06-05-2004	AU 9598601 A CA 2426461 A CN 1478078 A HU 0302603 A WO 0232872 A JP 3712393 B MX PA03003362 A NO 20031731 A NZ 525324 A US 2004053908 A	A1 25-04-2002 A2 25-02-2004 A2 28-11-2003 A1 25-04-2002 B2 02-11-2005 A 01-08-2003 A 19-06-2003 A 24-03-2005
WO 2006004636 A	12-01-2006	US 2005288290 / WO 2006004833 / WO 2006004884 /	12-01-2006
WO 2005117867 A	15-12-2005	US 2005245530 /	A1 03-11-2005